

EXAMPLE PERMIT TO WORK APPLICATION FORM FOR

# confined space entry



All copies of permits will remain at the job site until the task is completed. After cancellation, this entry permit will be retained. This permit to work may need to be accompanied by other permits such as a hot work permit.

<b>PROPOSED DATE OF ENTRY</b>	<b>PROPOSED TIME OF ENTRY</b>
<b>LOCATION</b>	<b>CONFINED SPACE ID No</b>
<b>PURPOSE OF ENTRY</b>	<b>EXPIRY DATE</b>
<b>EXPECTED HAZARDS</b>	<b>TYPE OF COMMUNICATIONS</b>
<b>SUPERVISOR (S) IN CHARGE OF CREW</b>	<b>TYPE OF CREW (WELDING, PLUMBING ETC)</b>
	<b>PHONE NO.</b>

SPECIAL REQUIRMENTS BEFORE ENTRY	
LOCKOUT / ISOLATION / DE-ENERGISING	ESCAPE HARNESS REQUIRED
POSITIVE ISOLATION - LINES BROKEN (BLANKING)	TRIPOD EMERGENCY / ESCAPE UNIT
PURGE - FLUSH AND VENT	LIFELINES
VENTILATION	FIRE EXTINGUISHERS
SECURE AREA (POST AND FLAG)	LIGHTING (EXPLOSION PROOF)
BREATHING APPARATUS	PROTECTIVE CLOTHING
RESUSCITATOR / INHALATOR	RESPIRATOR

<b>NAME OF GASTESTER (S)</b>	<b>TESTING EQUIPMENT USED</b>	<b>TEST EQUIPMENT ID NO.</b>

## DO NOT ENTER IF PERMISSIBLE ENTRY LEVELS ARE EXCEEDED

SPECIAL REQUIRMENTS BEFORE ENTRY	PERMISSIBLE LEVEL	ENTRY	TEST INTERVAL												
SUBSTANCE	PERMISSIBLE LEVEL	ENTRY	M	M	M	M	M	M	M	M	M	M	M	M	M
% OXYGEN	19.5 - 23.5 %														
% OF LEL (GAS / VAPOUR / MIST)	LESS THAN 10%														
% CARBON MONOXIDE	35 PPM (8 HRS)														
AROMATIC HYDROCARBON	1 PPM (8 HRS)														
HYDROGEN SULFIDE	10 PPM (8 HRS)														
SULPHUR DIOXIDE	2 PPM (8 HRS)														
AMMONIA	20 PPM (8 HRS)														

<b>AUTHORISED ENTRANTS</b>	<b>AUTHORISED ATTENDANTS</b>

PERMIT AUTHORISATION

I certify that all actions and conditions necessary for safe entry have been performed

NAME	SIGNATURE
DATE	TIME

<b>FIRE CALL</b>	<b>AMBULANCE CALL</b>	<b>RESCUE CALL</b>
------------------	-----------------------	--------------------